



計程車上落區 Taxi Arrival

公車停靠區 Bus Stop

經貿一|二路 Jingmao 1st Rd.



南港路一段 Nangang Rd., Sec.1


**南港展覽館站**  
 Nangang Exhibition Center Station  
 (捷運內湖線, 預定98年通車)  
 (MRT NeiHu Line Opening in 2009)

# 台北世貿中心南港展覽館

## TWTC Nangang Exhibition Hall

### 下層展場(1樓)平面圖

### Ground Level Exhibition Hall Plan (1F)

- ① B1機車停車場出入口  
B1 Motorcycle Parking Entrance
  - ② 地面層貨車入口  
Ground Fl. Cargo Entrance
  - ③ B1停車場入口  
B1 Car Parking Entrance
  - ④ 上層展場貨車入口  
Upper Fl. Cargo Entrance
  - ⑤ 上層展場貨車出口  
Upper Fl. Cargo Exit
  - ⑥ B1停車場出口  
B1 Car Parking Exit
- Floor Loading: 5000kg/m<sup>2</sup>  
 Ceiling Height: 9m  
 Exhibits Entrance:  
 I: 9.9m(W.) x 5.0m(H.)  
 J: 11.6m(W.) x 4.5m(H.)  
 K: 10.0m(W.) x 5.0m(H.)
- I區: Booth Size: 3m x 3m, 392 Units (7,750m<sup>2</sup>)  
 J區: Booth Size: 3m x 3m, 377 Units (7,180m<sup>2</sup>)  
 K區: Booth Size: 3m x 3m, 392 Units (7,750m<sup>2</sup>)  
 全區: I+J+K=1161 Units  
 6米走道: Main Aisle: 6 meters wide
- Dotted Line (indicates different areas)  
 區域分界線(分區隔牆設置位置)
- 柱水坭柱
  - Booth Power Distribution Unit  
攤位配電室: 2.35m(L.) x 2.35m(W.) x 2.5m(H.)
  - ▣ Hydrant 消防栓(含火警綜合盤)
  - ▢ Fire Alarm Panel 火警綜合盤
  - Extinguisher 滅火器
  - Control Panel 電箱
  - Emergency Exit 緊急出口(避難方向指示燈)
- 註: 1. 火警盤、滅火器、消防栓、電箱、灑水開關(所有柱子東側及北側牆面皆各設有2只灑水開關)·CO/CO<sub>2</sub>偵測器及避難方向指示燈等皆不得封閉。  
 2. 實際位置依現場為準。  
 1. Fire alarm panel, extinguisher, hydrant, control panel, sprinkler switch, CO / CO<sub>2</sub> sensor and all signs of the hall should not be covered.  
 2. Location of devices and facilities should be confirmed on site.
- Food & Beverage Kiosk 餐飲販賣部
  - ☎ Public Phone 公用電話
1. 本圖為標準攤位圖, 僅供參考。  
 2. 主辦單位所自行規劃之攤位圖, 請先送外貿協會核定。  
 1. This is a standard floor plan for reference only and organizer may vary in dimension and composition.  
 2. Organizer must submit planned floor map to TAITRA for prior consent.